



ABX-CBL/CD147 CON

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Examiner : Not yet assigned
Group Art Unit : Not yet assigned
Applicants : Davis et al.
Serial No. : 09/784,950
Filed : February 15, 2001
For : CD147 BINDING MOLECULES AS
THERAPEUTICS

New York, New York
April 25, 2001

Hon. Commissioner
for Patents
Washington, D.C. 20231

TRANSMITTAL LETTER FOR
INFORMATION DISCLOSURE STATEMENT

Sir:

Transmitted herewith is an Information Disclosure
Statement in the above-identified application. This
Statement is submitted:

- ☒ within three months of the application filing
date;
- ☐ more than three months from the application
filing date but before the mailing date of
the first Office Action on the merits.

In accordance with 37 C.F.R. § 1.97, submission of
this Statement requires no fee. However, if for any reason
a fee is due, the Commissioner is hereby authorized to
charge payment of any fees required in connection with this
Information Disclosure Statement to Deposit Account


No. 06-1075. A duplicate copy of this letter is transmitted herewith.

Respectfully submitted,



Jane T. Gunnison (Reg. No. 38,479)
Gloria M. Fuentes (Reg. No. 47,580)
Attorneys for Applicants
c/o FISH & NEAVE
1251 Avenue of the Americas
New York, New York 10020-1104
Tel.: (212) 596-9000

I Hereby Certify that this
Correspondence is being
Deposited with the U.S.
Postal Service as First
Class Mail in an Envelope
Addressed to: ASSISTANT
COMMISSIONER FOR
PATENTS
WASHINGTON, D.C. 20231 on

April 25, 2001
Claire J. Santil

Signature of Person Signing



ABX-CBL/CD147 CON

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Examiner : Not yet assigned
Group Art Unit : Not yet assigned
Applicants : Davis et al.
Application No. : 09/784,950
Filed : February 15, 2001
For : CD147 BINDING MOLECULES AS
THERAPEUTICS

New York, New York
April 25, 2001

Hon. Commissioner
for Patents
Washington, D.C. 20231

STATEMENT UNDER 37 C.F.R. §§ 1.56 AND 1.97

Sir:

Pursuant to 37 C.F.R. §§ 1.56 and 1.97, applicants make of record the following documents which are listed on the enclosed Form PTO-1449. Applicant will forward copies of those documents when they are received. Copies of all other listed documents are enclosed herewith.

United States Patents

United States patent 4,364,932 (Kung et al.), issued
December 21, 1982;

United States patent 4,364,936 (Kung et al.), issued
December 21, 1982;

United States patent 4,613,459 (Cantor et al.), issued
September 23, 1986;

United States patent 4,692,405 (Freedman et al.), issued
September 8, 1987;

United States patent 4,713,352 (Bander et al.), issued December 15, 1987;

United States patent 4,735,210 (Goldenberg), issued April 5, 1988;

United States patent 4,816,397 (Boss et al.), issued March 28, 1989;

United States patent 4,816,561 (Todaro et al.), issued March 28, 1989;

United States patent 4,818,689 (Suciu-Foca et al.), issued April 4, 1989;

United States patent 4,832,940 (Ege), issued May 23, 1989;

United States patent 5,017,691 (Lee et al.), issued May 21, 1991;

United States patent 5,045,451 (Uhr et al.), issued September 3, 1991;

United States patent 5,101,827 (Goldenberg), issued April 7, 1992;

United States patent 5,102,990 (Rhodes), issued April 7, 1992;

United States patent 5,151,510 (Stec et al.), issued September 29, 1992;

United States patent 5,194,594 (Khawli et al.), issued March 16, 1993;

United States patent 5,330,896 (Billing et al.), issued July 19, 1994;

United States patent 5,545,807 (Surani et al.), issued August 13, 1996;

United States patent 5,545,806 (Lonberg et al.), issued August 13, 1996;

United States patent 5,569,825 (Lonberg and Kay), issued October 29, 1996;

United States patent 5,591,669 (Krimpenfort et al.), issued January 7, 1997;

United States patent 5,612,205 (Kay et al.), issued March 18, 1997;

United States patent 5,625,126 (Lonberg et al.), issued April 29, 1997;

United States patent 5,633,425 (Lonberg et al.), issued May 27, 1997;

United States patent 5,643,740 (Billing et al.), issued July 1, 1997;

United States patent 5,643,763 (Dunn et al.), issued July 1, 1997;

United States patent 5,648,471 (Buttram et al.), issued July 15, 1997;

United States patent 5,661,016 (Lonberg et al.), issued August 26, 1997;

United States patent 5,697,902 (Goldenberg), issued December 16, 1997;

United States patent 5,703,057 (Johnston et al.), issued December 30, 1997;

United States patent 5,777,074 (Cotropia et al.), issued July 7, 1998.

United States Patent Applications

United States Patent Application Serial No. 07/466,008, filed January 12, 1990;

United States Patent Application Serial No. 07/574,748, filed August 29, 1990;

United States Patent Application Serial No. 07/575,962, filed August 31, 1990;

United States Patent Application Serial No. 07/610,515, filed November 8, 1990;

United States Patent Application Serial No. 07/810,279, filed December 17, 1991;

United States Patent Application Serial No. 07/853,408, filed March 18, 1992;

United States Patent Application Serial No. 07/904,068,
filed June 23, 1992;

United States Patent Application Serial No. 07/919,297,
filed July 24, 1992;

United States Patent Application Serial No. 07/922,649,
filed July 30, 1992;

United States Patent Application Serial No. 07/990,860,
filed December 16, 1992;

United States Patent Application Serial No. 08/031,801,
filed March 15, 1993;

United States Patent Application Serial No. 08/053,131,
filed April 26, 1993;

United States Patent Application Serial No. 08/096,762,
filed July 22, 1993;

United States Patent Application Serial No. 08/112,848,
filed August 27, 1993;

United States Patent Application Serial No. 08/155,301,
filed November 18, 1993;

United States Patent Application Serial No. 08/161,739,
filed December 3, 1993;

United States Patent Application Serial No. 08/165,699,
filed December 10, 1993;

United States Patent Application Serial No. 08/209,741 filed
March 9, 1994;

United States Patent Application Serial No. 08/234,145,
filed April 28, 1994;

United States Patent Application Serial No. 08/376,279,
filed January 20, 1995;

United States Patent Application Serial No. 08/430, 938,
filed April 27, 1995;

United States Patent Application Serial No. 08/464,584,
filed June 5, 1995;

United States Patent Application Serial No. 08/464,582,
filed June 5, 1995;

United States Patent Application Serial No. 08/463,191,
filed June 5, 1995;

United States Patent Application Serial No. 08/462,837,
filed June 5, 1995;

United States Patent Application Serial No. 08/486,853,
filed June 5, 1995;

United States Patent Application Serial No. 08/486,857,
filed June 5, 1995;

United States Patent Application Serial No. 08/486,859,
filed June 5, 1995;

United States Patent Application Serial No. 08/462,513,
filed June 5, 1995;

United States Patent Application Serial No. 08/544,404,
filed October 10, 1995;

United States Patent Application Serial No. 08/724,752,
filed October 2, 1996;

United States Patent Application, Serial No. 08/730,639,
filed October 11, 1996;

United States Patent Application Serial No. 08/759,620,
filed December 3, 1996.

FOREIGN APPLICATIONS

PCT Publication WO 91/08232, published June 13, 1991;

PCT Publication WO 92/03918, published March 19, 1992;

PCT Publication WO 92/22645, published December 23, 1992;

PCT Publication WO 93/12227, published June 24, 1993;

PCT Publication WO 94/02602, published February 3, 1994;

PCT Publication WO 94/25585, published November 10, 1994;

PCT Publication WO 96/34096, published October 31, 1996;

PCT Publication WO 97/13852, published April 17, 1997;

PCT Publication WO 97/38137, published October 16, 1997;

PCT Publication WO 96/33735, published October 31, 1996;
PCT Publication WO 98/16654, published April 23, 1998*
European Patent EP 117 705, published September 5, 1984;
European Patent EP 0 463 151 B1, published January 2, 1992;

Other Documents

Albrecht et al., "Correlation of blood-brain barrier function and HT7 protein distribution in chick brain circumventricular organs," *Brain Res.*, 535, pp.49-61 (1990);

Altruda et al., "Cloning of cDNA for a novel mouse membrane glycoprotein (gp42): shared identity to histocompatibility antigens, immunoglobulins and neural-cell adhesion molecules," *Gene*, 85, pp. 445-451 (1989);

Bartles et al., "Endogenous and Exogenous Domain Markers of the Rat Hepatocyte Plasma Membrane," *J. Cell Biol.*, 100, pp. 1126-1138 (1985);

Bartles et al., "Biochemical Characterization of Domain-specific Glycoproteins of the Rat Hepatocyte Plasma Membrane," *J. Biol. Chem.*, 260, pp. 12792-12802 (1985);

Benaim E. et al., "Activity of monoclonal antibody CBL1 in corticosteroid resistant acute graft versus host disease," *Blood*, vol. 84, no. 10, supp. 1, p. 540A (1994);

Berditchevski et al., "NAG-2, a novel transmembrane-4 superfamily (TM4SF) protein that complexes with integrins and other TM4SF proteins," *J. Biol. Chem.*, 272, pp. 29174-29180 (1997);

Billing R. et al., "Heteroantisera Against a Blast Cell Antigen," *Clin. Immunol. Immunopathol.*, 13, pp. 435-455 (1979);

Billing R. et al., "Monoclonal and Heteroantibody Reacting With Different Antigens Common to Human Blast Cells and Monocytes," *Hybridoma*, 1, pp. 303-311 (1982);

Billing R. et al., "Acute Lymphocytic Leukemia-Associated Cell Membrane Antigen," *J. Natl. Cancer Inst.*, 61, pp. 423-429 (1978);

Billing R. and S. Chatterjee, "Prolongation of Skin Allograft Survival in Monkeys Treated with Anti-Ia and Anti-Blast/Monocyte Monoclonal Antibodies," *Transplantation Proc.*, 15, pp. 649-650 (1983);

Billing et al., in *Monoclonal Antibodies: Diagnostic and Therapeutic Use in Tumor and Transplantation*, Chs. 2 and 9, pp. 11-19 and pp. 85-90 (Chatterjee ed., PSG Publ. Co., Inc. (1985));

Biswas et al., "The Human Tumor Cell-Derived Collagenase Stimulatory Factor (renamed EMMPRIN) is a Member of the Immunoglobulin Super Family," *Cancer Res.*, 55, pp. 434-439 (1995);

Biswas C., "Tumor Cell Stimulation of Collagenase Production by Fibroblasts," *Biochem. Biophys. Res. Comm.*, 109, pp. 1026-1034 (December 15, 1982);

Blake and Litzi-Davis, "Evaluation of Peptide Libraries: an Iterative Strategy to Analyze the Reactivity of Peptide Mixtures with Antibodies," *BioConjugate Chem.*, Vol. 3, pp. 510-513 (1992);

Bowie et al., "A Method to Identify Protein Sequences That Fold into a Known Three-dimensional Structure," *Science*, Vol. 253, p. 164 (1991);

Breard et al., "A Monoclonal Antibody Reactive with Human Peripheral Blood Monocytes," *J. Immunol.*, Vol. 124, No. 4, pp. 1943-1948 (1980);

Chen et al., "Intracellular Antibodies as a New Class of Therapeutic Molecules for Gene Therapy," *Human Gene Therapy*, Vol. 5, pp. 595-601 (1994);

Cassella et al., "Ontogeny of four blood-brain barrier markers: an immunocytochemical comparison of pial and cerebral cortical microvessels," *J. Anat.*, 189, pp. 407-415 (1996);

Cesario MM and Bartles JR, "Compartmentalization, processing and redistribution of the plasma membrane protein CE9 on rodent spermatozoa. Relationship of the annulus to domain boundaries in the plasma membrane of the tail," *J. Cell Sci.*, 107, pp. 561-570 (1994);

Cesario et al., "Biogenesis of the posterior-tail plasma membrane domain of the mammalian spermatozoon: targeting and lateral redistribution of the posterior-tail domain-specific transmembrane protein CE9 during spermiogenesis," *Dev. Biol.*, 169, pp. 473-486 (1995);

Chatterjee S. et al., "Treatment With Anti-Ia an Anti-blast/Monocyte Monoclonal Antibodies Can Prolong Allograft Survival in Nonhuman Primates" *Hybridoma*, 1, pp. 369-377 (1982);

Cheng et al., "Organization of the mouse GP42/Basigin gene: a member of the Ig superfamily," *Biochim. Biophys. Acta*, 1217, pp.307-311 (1994);

Chiswell and McCafferty, "Phage Antibodies: Will New 'Coliclonal' Antibodies Replace Monoclonal Antibodies?," *TIBTECH*, Vol. 10, pp. 80-84 (1992);

Cosimi et al. "Use of Monoclonal Antibodies to T-Cell Subsets For Immunologic Monitoring and Treatment in Recipients of Renal Allografts," *New Engl. J. Med.*, 305, pp. 308-314 (1981);

Cwirla et al., "Peptides on Phage: a Vast Library of Peptides for Identifying Ligands," *PNAS USA*, Vol. 87, pp. 6378-6382 (1990);

Davies A. and Lachmann P.J., "Membrane defense against complement lysis: the structure and biological properties of CD59," *Immunol. Res.*, Vol. 12, p. 258 (1993);

Dayhoff, M.O., in *Atlas of Protein Sequence and Structure*, pp. 101-110 (Volume 5) and Supplement 2, pp. 1-10, (National Biomedical Research Foundation (1972));

DeCastro et al., "Human keratinocytes express EMMPRIN, an extracellular matrix metalloproteinase inducer," *J. Invest. Dermatol.*, 106, pp.1260-1265 (1996);

Deeg et al., "Combined Immunosuppression with Cyclosporine and Methotrexate in Dogs Given Bone Marrow Grafts from Dla-haploidentical Littermates," *Transplantation*, Vol. 37, pp. 62-65 (1984);

Derwent Database WPI, "Human basigin I gene - Useful for the Diagnosis and Treatment of Cancers, Immune Abnormalities and Inflammatory Diseases," AN 94-298798 (1991) & JP 06 225763A (1994);

Dillman R.O. et al., "Applications of monoclonal antibodies in cancer therapy," *Brit. Med. Bulletin*, 40, pp. 240-246 (1984);

Evans et al., "Antianaphylactic Benzophenones and Related Compounds," *J. Med. Chem.*, Vol. 30, p. 1229 (1987);

Fadool JM and Linser PJ, "Evidence for the formation of multimeric forms of the 5A11/HT7 antigen," *Biochem. Biophys. Res. Commun.*, 229, pp. 280-286 (1996);

Fadool JM and Linser PJ, "5A11 antigen is a cell recognition molecule which is involved in neuronal-glial interactions in avian neural retina," *Dev. Dyn.*, 196, pp.252-262 (1993);

Fadool JM and Linser PJ, "Differential Glycosylation of the 5A11/HT7 Antigen By Neural Retina and Epithelial Tissues in the Chicken," *J. Neurochemistry*, 60, pp. 1354-1364 (1993);

Fadool J.M. et al., "Biochemical Characterization of a Novel Glycoprotein That Is a Retinal and Epithelial Adhesion Molecule," *J. Cell Biol.*, 115, pp. 69a (1991);

Fanger et al., "Production and Use of Anti-fcr Bispecific Antibodies," *Immunol. Methods*, Vol. 4, pp. 72-81 (1994);

Fauchere et al., "Association with Hela Cells of Campylobacter Jejuni and Campylobacter Coli Isolated from Human Feces," *J. Adv. Drug Res.*, Vol. 15, p. 29 (1986);

Felici et al., "Selection of Antibody Ligands from a Large Library of Oligopeptides Expressed on a Multivalent Exposition Vector," *J. Mol. Biol.*, Vol. 222, pp. 301-310 (1991);

Felzmann et al., "Analysis of function-associated receptor molecules on peripheral blood and synovial fluid granulocytes from patients with rheumatoid and reactive arthritis," *J. Clin. Immunol.*, 11, pp. 205-212 (1991);

Ferrara JL and Deeg HJ, "Graft versus Host Disease," *NEJM*, Vol. 324, p. 667 (1991);

Finnemann et al., "Identification of the retinal pigment epithelium protein RET-PE2 as CE-9/OX-47, a member of the immunoglobulin superfamily," *Invest. Ophthalmol. Vis. Sci.*, 38, pp. 2366-2374 (1997);

Foley et al., "Continuous Culture of Human Lymphoblasts From Peripheral Blood of a Child with Acute Leukemia," *Cancer*, 18, pp.522-529 (1965);

Fossum et al., "The MRC OX-47 antigen is a member of the immunoglobulin superfamily with an unusual transmembrane sequence," *Eur. J. Immunol.*, 21, pp. 671-679 (1991);

Gadd et al., "Phenotypic Analysis of Functionally Associated Molecules on Peripheral blood and Synovial Fluid Monocytes from Arthritis Patients," *Rheumatol. Int.*, 12, pp. 153-157 (1992);

Gay et al., "Receptor Editing: An Approach by Autoreactive B Cells to Escape Tolerance," *J. Exp. Med.*, Vol. 177, pp. 999-1008 (1993);

Gazzano-Santoro et al. "A Non-radioactive Complement-Dependent Cytotoxicity Assay for Anti-CD20 Monoclonal Antibody," *J. Immunol. Methods*, Vol. 202, pp. 163-171 (1997);

Ghannadan et al. "Phenotypic Characterization of Human Skin Mast Cells by Combined Staining with Toluidine Blue and Cd Antibodies," *J. Invest. Dermatol.*, Vol. 111, pp. 689-95 (1998);*

Green et al., "Antigen-specific Human Monoclonal Antibodies from Mice Engineered with Human Ig Heavy and Light Chain YACs," *Nature Genetics*, Vol. 7, pp. 13-21 (1994);

Guo et al., "Stimulation of matrix metalloproteinase production by recombinant extracellular matrix metalloproteinase inducer from transfected Chinese hamster ovary cells," *J. Biol. Chem.*, 272, pp. 24-27 (1997);

Guo et al. "Characterization of the Gene for Human Emmprin, a Tumor Cell Surface Inducer of Matrix Metalloproteinases," *Gene*, Vol. 220, pp. 99-108 (1998);*

Hanes and Pluchau, "In Vitro Selection and Evolution of Functional Proteins by Using Ribosome Display," *PNAS USA*, Vol. 94, pp. 4937-4942 (1997);

Harris et al., "Exploring the Basis of Peptide-Carbohydrate Crossreactivity: Evidence for Discrimination by Peptides Between Closely Related Anti-Carbohydrate Antibodies," *Proc. Natl. Acad. Sci. USA*, Vol. 94, pp. 2454-2459 (1977);

Haynes B.F. et al., "Characterization of A Monoclonal Antibody (5E9) That Defines a Human Cell Surface Antigen of Cell Activation," *J. Immunol.*, 127, pp. 347-351 (1981);

Haynes B.F. et al., "Characterization of Monoclonal Antibody (4F2) that Binds to Human Monocytes and to a Subset of Activated Lymphocytes," *J. Immunol.*, 126, pp. 1409-1414 (1981);

Heslop et al., "Response of steroid-resistant graft-versus-host disease to lymphoblast antibody CBL1," *The Lancet*, 346, pp. 805-806 (1996);

Hoganboom et al., "Building Antibodies from Their Genes," *Immunol. Reviews*, Vol. 130, pp. 43-68 (1992);

Houghten et al., "The Use of Synthetic Peptide Combinatorial Libraries for the Identification of Bioactive Peptides," *Biotechniques*, Vol. 13, pp. 412-421 (1992);

Houghten RA, "General Method for the Rapid Solid-phase Synthesis of Large Numbers of Peptides: Specificity of Antigen-antibody Interaction at the Level of Individual Amino Acids," *PNAS USA*, Vol. 82, pp. 5131-5135 (1985);

Hubbard et al., "Identification of Rat Hepatocyte Plasma Membrane Proteins Using Monoclonal Antibodies," *J. Cell Biol.*, 100, pp. 1115-1125 (1985);

Igakura et al., "Roles of basigin, a member of the immunoglobulin superfamily, in behavior as to an irritating odor, lymphocyte response, and blood-brain barrier," *Biochem. Biophys. Res. Commun.*, 224, pp. 33-36 (1996);

Ikeda et al., "Developing brain cells produce factors capable of inducing the HT7 antigen, a blood-brain barrier-specific molecule, in chick endothelial cells," *Neurosci. Lett.*, 209, pp. 149-152 (1996);

Imboden et al., "Identification and characterization of a cell-surface molecule that is selectively induced on rat lymphokine-activated killer cells," *J. Immunol.*, 143, pp. 3100-3103 (1989);

Janzer et al., "Astrocytes secrete a factor inducing the expression of HT7-protein and neurothelin in endothelial cells of chorioallantoic vessels," *Adv. Exp. Med. Biol.* 331, pp. 217-221 (1993);

Joseph et al., "Regulation of the expression of intercellular adhesion molecule-1 (ICAM-1) and the putative adhesion molecule Basigin on murine cerebral endothelial cells by MHV-4 (JHM)," *Adv. Exp. Med. Biol.*, 342, pp. 389-391 (1993);

Kaname et al., "Mapping basigin (BSG), a member of the immunoglobulin superfamily, to 19p13.3," *Cytogenet. Cell. Genet.*, 64, pp.195-197 (1993);

Kanekura et al., "Basigin, a new member of the immunoglobulin superfamily: genes in different mammalian species, glycosylation changes in the molecule from adult organs and possible variation in the N-terminal sequences," *Cell Struct. Funct.*, 16, pp. 23-30 (1991);

Kaneoka H. et al., "Human T. Lymphocyte Proliferation Induced By A Pan-T Monoclonal Antibody (Anti-Leu 4): Heterogeneity of Response Is A Function of Monocytes," *J. Immunol.*, 131, pp. 158-164 (1983);

Kasinrerk et al., "Human leukocyte activation antigen M6, a member of the Ig superfamily, is the species homologue of rat OX-47, mouse basigin, and chicken HT7 molecule," *J. Immunol.*, 149(3), pp. 847-854 (1992);

Kimball, *Introduction to Immunology* (MacMillan 1983), pp. 475-7;

Kinoshita et al., "Distribution of Decay-accelerating Factor in the Peripheral Blood of Normal Individuals and Patients with Paroxysmal Nocturnal Hemoglobinuria," *J. Exp. Med.*, 162, p. 75 (1985);

Kinukawa T. and Terasaki P.I., "Clonal Deletion by a Monoclonal Antiblast Antibody Following Primary Mixed Lymphocyte Culture," *Transplantation Proc.*, 1, pp.993-998 (1985);

Kirsch et al., "The pattern of expression of CD147/neurothelin during human T-cell ontogeny as defined by the monoclonal antibody 8D6," *Tissue Antigens*, 50, pp.147-152 (1997);

Kupper T. et al., "Autocrine Growth of T Cells Independent of Interleukin 2: Identification of Interleukin 4 (IL4, BSF-1) as an Autocrine Growth Factor for a Cloned Antigen-specific Helper T Cell," *Chem. Abst.*, 107(13), p. 114014r (1987);

Kuwabara et al., "Efficient Epitope Mapping by Bacteriophage Lambda Surface Display," *Nature Biotechnology*, Vol. 15, pp. 74-78 (1997);

Laplanche et al., "Phosphorothioate-modified Oligodeoxyribonucleotides. Iii. Nmr and Uv Spectroscopic Studies of the Rp-rp, Sp-sp, and Rp-sp Duplexes, [D(ggsaattcc)]₂, Derived from Diastereomeric O-ethyl Phosphorothioates," *Nucl. Acids Res.*, Vol. 14, p. 9081 (1986);

Lawson D.H. et al., "Preparation of a Monoclonal Antibody to a Melanoma Growth-Stimulatory Activity Released Into Serum-Free Culture Medium by Hs0294 Malignant Melanoma Cells," *J. Cell. Biochem.*, 34, pp. 169-185 (1987);

Lecocyte Typing VI (Kishimoto et al. Eds., Garland Publishing Inc., New York, 1997) (particularly Stockinger et al., pp. 760-763 and Majdic et al. pp. 765-766);

Levy R. and Dilley J., "The In Vitro Antibody Response To Cell Surface Antigens: Monoclonal Antibodies to Human leukemia Cells," *J. Immunol.*, 119, pp. 394-400 (1977);

Liebner et al., "Maturation of the Blood-Retina Barrier in the Developing Pecten Oculi of the Chicken," *Developmental Brain Research*, Vol. 100, pp. 205-219 (1997);

Lim et al. "Tumor-derived Emmprin (Extracellular Matrix Metalloproteinase Inducer) Stimulates Collagenase Transcription Through Mapk P38," *Febs. Lett.*, Vol. 441, pp. 88-92 (1998);*

Liszewski et al., "Membrane Cofactor Protein (Mcp or Cd46): Newest Member of the Regulators of Complement Activation Gene Cluster," *Annu. Rev. Immunol.*, Vol. 9, pp. 431-455 (1991);

Liu D.Y. and Todd R.F., "A Monoclonal Antibody Specific For a Monocyte-Macrophage Membrane Component Blocks the Human Monocyte Response To Migration Inhibitory Factor," *J. Immunol.*, 137, pp. 448-455 (1986);

Lobrinus et al., "Induction of the blood-brain barrier specific HT7 and neurothelin epitopes in endothelial cells of the chick chorioallantoic vessels by a soluble factor derived from astrocytes," *Dev. Brain Res.*, 70, pp.207-211 (1992);

Lonberg et al., "Antigen Specific Human Antibodies From Mice Comprising Four Distinct Genetic Modifications," *Nature*, 368, pp. 856-9 (1994);

Loveland et al., "Coordinate Functions of Multiple Complement Regulating Molecules, Cd46, Cd55 and Cd59," *Transpl. Proc.*, 26, p. 1070 (1994);

Marasco, "Intrabodies: Turning the Humoral Immune System Outside in for Intracellular Immunization," *Gene Therapy*, Vol. 4, pp. 11-15 (1997);

Marmorstein et al., "Apical Polarity of N-cam and EMMPRIN in Retinal Pigment Epithelium Resulting from Suppression of Basolateral Signal Recognition" *J. Cell. Biol.*, Vol. 142, pp. 697-710 (1998);*

Marmorstein et al., "Morphogenesis of the Retinal Pigment Epithelium: Toward Understanding Retinal Degenerative Diseases" *Ann. N. Y. Acad. Sci.*, Vol. 857, pp. 1-12 (1998);*

Marx J.L., "Monoclonal Antibodies in Cancer," *Science*, 216, pp. 283-285 (1982);

Mattes et al., "Monoclonal Antibodies to Three Widely Distributed Human Cell Surface Antigens," *Hybridoma*, Vol. 2, No. 3, pp. 253- 264 (1983);

Mendez et al., "Functional transplant of megabase human immunoglobulin loci recapitulates human antibody response in mice," *Nature Genetics*, 15, pp. 146-156 (1997);

Miyauchi et al., "The basigin group of the immunoglobulin superfamily: complete conservation of a segment in and around transmembrane domains of human and mouse basigin and chicken HT7 antigen," *J. Biochem. (Tokyo)*, 110, pp. 770-774 (1991);

Miyauchi et al., "Basigin, a new, broadly distributed member of the immunoglobulin superfamily, has strong homology with both the immunoglobulin V domain and the beta-chain of major histocompatibility complex class II antigen," *J. Biochem. (Tokyo)*, 107, pp. 316-323 (1990);

Miyauchi et al., "Structure of the mouse basigin gene, a unique member of the immunoglobulin superfamily," *J. Biochem. (Tokyo)*, 118, pp. 717-724 (1995);

Mizukami et al., "Purification, biochemical composition, and biosynthesis of the Mo3 activation antigen expressed on the plasma membrane of human mononuclear phagocytes," *J. Immunol.*, 147, pp. 1331-1337 (1991);

Mizukami et al., "A Structural Characterization of the Mo3 Activation Antigen Expressed On the Plasma Membrane of Human

Mononuclear Phagocytes," *J. Immunol.*, 144, pp. 1841- 1848 (1990);

Morel P.A. and Hamilton H.B., "Ok^a: An Erythrocytic Antigen of High Frequency," *Vox Sanguinis*, Vol. 36, pp. 183-185 (1979);

Mutin et al. "Immunologic Phenotype of Cultured Endothelial Cells: Quantitative Analysis of Cell Surface Molecules" *Tissue Antigens*, Vol. 50, pp. 449-58 (1997);

Naruhashi et al., "Abnormalities of sensory and memory functions in mice lacking Bsg gene," *Biochem. Biophys. Res. Commun.*, 236, pp.733-737 (1997);

Needleman & Wunsch, "A General Method Applicable to the Search for Similarities in the Amino Acid Sequence of Two Proteins," *J. Mol. Biol.*, 48, pp. 443-53 (1970);

Nehme et al., "Breaching the diffusion barrier that compartmentalizes the transmembrane glycoprotein CE9 to the posterior-tail plasma membrane domain of the rat spermatozoon," *J. Cell Biol.*, 120, pp. 687-694 (1993);

Nehme et al., "Distribution of the integral plasma membrane glycoprotein CE9 (MRC OX-47) among rat tissues and its induction by diverse stimuli of metabolic activation," *Biochem. J.*, 310, pp. 693-698 (1995);

Oei et al., "Treatment of Kidney Graft Rejection with CHA1 and CBL1 Monoclonal Antibodies," *Transplantation Proceed.*, Vol. 17, no. 6, p. 2740 (1985);

Omary et al., "Human Cell-Surface Glycoprotein with Unusual Properties ," *Nature*, 286, pp. 888-891 (1980);

Parmley and Smith, "Antibody-selectable Filamentous Fd Phage Vectors: Affinity Purification of Target Genes," *Gene*, Vol. 73, pp. 305-318 (1988);

Paterson et al., "Antigens of activated rat T lymphocytes including a molecule of 50,000 Mr detected only on CD4 positive T blasts," *Mol. Immunol.*, 24, pp. 1281-1290 (1987);

Pearson and Lipman, "Improved Tools for Biological Sequence Comparison," *PNAS (USA)*, Vol. 85, pp. 2444 (1988);

Petruszak et al., "Endoproteolytic cleavage in the extracellular domain of the integral plasma membrane protein CE9 precedes its redistribution from the posterior to the

anterior tail of the rat spermatozoon during epididymal maturation," *J. Cell Biol.*, 114, pp. 917-927 (1991);

Pinalla et al., "Rapid Identification of High Affinity Peptide Ligands Using Positional Scanning Synthetic Peptide Combinatorial Libraries," *Biotechniques*, Vol. 13, pp. 901-905 (1992);

Polette et al. "Tumor Collagenase Stimulatory Factor (Tcsf) Expression and Localization in Human Lung and Breast Cancers," *J. Histochem. Cytochem.*, Vol. 45, pp. 703-709 (1997);

Powell et al. "Compendium of Excipients for Parenteral Formulations" *Pda. J. Pharm. Sci. Technol.*, Vol. 52, pp. 238-311 (1998);

Raff et al., "Pharmacologic, Toxicologic, and Marrow Transplantation Studies in Dogs Given Succinyl Acetone," *Transplantation*, Vol. 54, pp. 813-820 (1992);

Reinherz E.L. et al., "Discrete Stages of Human Intrathymic Differentiation: Analysis of Normal Thymocytes and Leukemic Lymphoblasts of T-cell Lineage," *PNAS USA*, 77, pp. 1588-1592 (1980);

Remington's Pharmaceutical Sciences (15th Ed, Mack Publishing Company, Easton, Pa (1975)), Chapter 87 by Blaug;

Rimsky L. et al., "Purification to Homogeneity and NH₂-Terminal Amino Acid Sequence of a Novel Interleukin 1 Species Derived from a Human B Cell Line," *J. Immunol.*, 136, pp. 3304-3310 (1986);

Risau W. et al., "Brain Induces the Expression of An Early Cell Surface Marker For Blood-Brain Barrier-Specific Endothelium," *EMBO J.*, 5, pp. 3179-3183 (1986);

Rizo and Gierasch, "Constrained Peptides: Models of Bioactive Peptides and Protein Substructures," *Ann. Rev. Biochem.*, Vol. 61, p. 387 (1992);

Rizzolo LJ & Zhou SJ, "The distribution of Na⁺,K⁺-ATPase and 5A11 antigen in apical microvilli of the retinal pigment epithelium is unrelated to alpha-spectrin," *Cell Sci.*, 108, pp. 3623-3633 (1995);

Russel et al., "Retroviral Vectors Displaying Functional Antibody Fractions," *Nucl. Acids Research*, Vol. 21, pp. 1081-1085 (1993);

Schlom, *Molecular and Cellular Research for Future Diagnosis and Therapy*, pp. 95-134 (S. Broder ed., Williams and Wilkins 1990);

Schlosshauer, "The blood-brain barrier: morphology, molecules, and neurothelin," *BioEssays*, 15, pp. 341-346 (1993);

Schlosshauer, "Neurothelin: molecular characteristics and developmental regulation in the chick CNS," *Development*, 113, pp. 129-140 (1991);

Schlosshauer et al., "Neurothelin: amino acid sequence, cell surface dynamics and actin colocalization," *Eur. J. Cell Biol.*, 68, pp. 159-166 (1995);

Schlosshauer B & Herzog KH, "Neurothelin: an inducible cell surface glycoprotein of blood-brain barrier-specific endothelial cells and distinct neurons," *J. Cell Biol.*, 110, pp. 1261-1274 (1990);

Schuster et al., "Cloning of the rabbit homologue of mouse 'basigin' and rat 'OX-47': kidney cell type-specific expression, and regulation in collecting duct cells," *Biochim. Biophys. Acta* 1311, pp. 13-19 (1996);

Scott LJ & Hubbard AL, "Dynamics of four rat liver plasma membrane proteins and polymeric IgA receptor. Rates of synthesis and selective loss into the bile," *J. Biol. Chem.*, 267, pp. 6099-6106 (1992);

Scott, J.K., "Discovering Peptide Ligands Using Epitope Libraries," *Techniques*, 17, pp. 241-245 (1992);

Scott J.K. and Smith G.P., "Searching for Peptide Ligands with an Epitope Library," *Science*, Vol. 249, pp. 386-390 (1990);

Seulberger et al., "HT7, Neurothelin, Basigin, gp42 and OX-47--many names for one developmentally regulated immuno-globulin-like surface glycoprotein on blood-brain barrier endothelium, epithelial tissue barriers and neurons," *Neurosci. Lett.*, 140 pp. 93-97 (1992);

Seulberger et al., "The inducible blood--brain barrier specific molecule HT7 is a novel immunoglobulin-like cell surface glycoprotein," *EMBO J.*, 9, pp. 2151-2158 (1990);

Smith and Waterman, "Comparison of Biosequences," *Adv. Appl. Math.*, Vol. 2, p. 482 (1981);

Spring et al., "The Oka blood group antigen is a marker for the M6 leukocyte activation antigen, the human homolog of OX-47 antigen, basigin and neurothelin, an immunoglobulin superfamily molecule that is widely expressed in human cells and tissues," *Eur. J. Immunol.*, 27, pp. 891-897 (1997);

Stec et al., "Automated Solid-Phase Synthesis, Separation, and Stereochemistry of Phosphorothioate Analogues of Oligodeoxyribonucleotide," *J. Am. Chem. Soc.*, Vol. 106, p. 6077 (1984);

Storb et al., "Long-term Follow-up of Allogeneic Marrow Transplants in Patients with Aplastic Anemia Conditioned by Cyclophosphamide Combined with Antithymocyte Globulin," *Blood*, Vol. 89, pp. 3048-3054 (1997);

Sudou et al., "Lewis X structure increases cell substratum adhesion in L cells" *J. Biochem. (Tokyo)*, 117, pp. 271-275 (1995);

Tachibana et al., "Generation of Monoclonal Antibodies to Integrin-associated Proteins," *The Journal of Biological Chemistry*, Vol. 272, No. 46, pp. 29181-29189 (1997);

Takahashi et al., "Follow-up on Initial Trials of Kidney Transplant Rejection Reversal by a Monoclonal Antibody," *Transplantation Proceed.*, Vol. 17, no. 1, p. 69 (1985);

Takahashi et al., "Reversal of Transplant Rejection by Monoclonal Antiblast Antibody," *The Lancet*, 2, pp. 1155-1158 (1983);

Taniyama T. and T. Watanabe, "Monoclonal Antibody Against Human Macrophages/Monocytes And Granulocytes," *Hybridoma*, 2, pp. 161-168 (1983);

Thornton et al., "Protein Structure. Prediction of Progress at Last," *Nature*, Vol. 354, pp. 105-106 (1991);

Todd R.F. III et al., "Human Mononuclear Phagocyte Activation Antigens," *Blood Cells*, 16, pp. 167-182 (1990);

Todd R.F. III et al., "Bacterial Lipopolysaccharide, Phorbol Myristate Acetate, and Muramyl Dipeptide Stimulate the Expression of a Human Monocyte Surface Antigen, Mo3e," *J. Immunol.*, 135, pp. 3869-3877 (1985);

Traunecker et al., "Janusin: New Molecular Design for Bispecific Reagents," *Int. J. Cancer (Suppl.)*, Vol. 7, pp. 51-52 (1992);

Trochelman R.D. et al., "Expression of Mo3e Antigen By Cultured Human Umbilical vein Endothelial Cells (HUVEC) Stimulated by Phorbol Myristate Acetate (PMA) and Related Pharmacological Inducers of Protein Kinase C," *Cell Immunol.*, 112, pp. 89-103(1988);

Tuaillon et al., "Analysis of Direct and Inverted D μ h Rearrangements in a Human Ig Heavy Chain Transgenic Minilocus," *J. Immunol.*, Vol. 154(12), pp. 6453-65 (1995);

Tuaillon et al., "Human Immunoglobulin Heavy-chain Minilocus Recombination in Transgenic Mice: Gene-segment Use in μ and Gamma Transcripts," *PNAS U S A*, Vol. 8, pp. 3720-4 (1993);

Ugolini et al., "Initial Characterization of Monoclonal Antibodies Against Human Monocytes," *PNAS USA*, Vol. 77, No. 11, pp. 6764-6768 (1980);

Unger et al., "Expression of the HT7 Gene in Blood-Brain Barrier," *Adv. Exp. Med. Biol.*, 331, pp. 211-215 (1993);

Valerius et al., "Fc α phari (Cd89) as a Novel Trigger Molecule for Bispecific Antibody Therapy," *Blood*, Vol. 90, pp. 4485-4492 (1997);

Van Den Oord et al. "Expression of Gelatinase B and the Extracellular Matrix Metalloproteinase Inducer EMMPRIN in Benign and Malignant Pigment Cell Lesions of the Skin" *Am. J. Pathol.*, Vol. 151, pp. 665-70 (1997);

Vitetta et al., "Immunotoxins: Magic Bullets or Misguided Missiles?," *Immunol. Today*, Vol. 14, p. 252 (1993);

Von Appen, Kay, "ABX-CBL," *Idrugs*, 2(1):65-68 (1999);*

Wakasugi et al., "Adult T-Cell Leukemia-Derived Factor/Theoredoxin, Produced by both Human T-Lymphotropic Virus Type I- and Epstein-Barr Virus-Transformed Lymphocytes, Acts as an Autocrine Growth Factor and Synergizes with Interleukin 1 and Interleukin 2," *Proc. Natl. Acad. Sci. USA*, 87, pp. 8282-8286 (1990);

Whitlow et al., "H19, a surface membrane molecule involved in T-cell activation, inhibits channel formation by human complement," *Cell. Immunol.*, 126, pp. 176 (1990);

Williams et al., "Biochemical and Genetic Analysis of the Ok^a Blood Group Antigen," *Immunogenetics*, 27, pp. 322-329 (1988);

Winter and Harris, "Humanized Antibodies," *Immunol. Today*, Vol. 14, pp. 43-46 (1993);

Woodhead et al., "From Sentinel to Messenger: an Extended Phenotypic Analysis of the Monocyte to Dendritic Cell Transition" *Immunology*, Vol. 94, pp. 552-559 (1998);*

Wright et al., "Genetically Engineered Antibodies: Progress and Prospects," *Crit. Reviews in Immunol.*, Vol. 12, pp. 125-168 (1992);

Yu et al., "Tracrolimus (FK506) and Methotrexate Regiments to Prevent Graft-versus-Host Disease After Unrelated Dog Leukocyte Antigen (DLA) Nonidentical Marrow Transplantation," *Bone Marrow Transplantation*, Vol. 17, pp. 649-653 (1996);

Zon et al., *Oligonucleotides and Analogues: a Practical Approach*, pp. 87-108 (F. Eckstein, Ed., Oxford University Press, Oxford England (1991));

Zon et al., "Phosphorothioate Oligonucleotides: Chemistry, Purification, Analysis, Scale-up and Future Directions," *Anti-cancer Drug Design*, Vol. 6, p. 539 (1991);

Applicants have enclosed copies of the documents indicated with an asterisk. Copies of the other documents were previously submitted in connection with United States application 09/034,607, filed March 3, 1998, from which this application claims priority under 35 U.S.C. § 120. Accordingly, applicants have not provided copies of these documents. However, applicants stand ready to do so at the request of the Examiner.

Applicants request that the cited documents be (1) fully considered by the Examiner during the course of examination of this application and (2) printed on any patent issuing from this application. Applicants also request that a copy of Form PTO-1449, as considered and initialed by the Examiner, be returned with the next communication.

Applicants are submitting this statement within three months of the application filing date. Therefore, in accordance with 37 C.F.R. § 1.97(b), submission of this Statement requires no fee.

Respectfully submitted,



Jane T. Gunnison (Reg. No. 38,479)
Gloria M. Fuentes (Reg. No. 47,580)
Attorneys for Applicants
c/o FISH & NEAVE
1251 Avenue of the Americas
New York, New York 10020-1104
Tel.: (212) 596-9000

I Hereby Certify that this
Correspondence is being
Deposited with the U.S.
Postal Service as First
Class Mail in an Envelope
Addressed to: ASSISTANT
COMMISSIONER FOR
PATENTS
WASHINGTON, D.C. 20231 on

April 20, 2001
Claire J. Scintill


Signature of Person Signing



FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEINFORMATION DISCLOSURE
STATEMENT BY APPLICANTATTY. DOCKET NO.
ABX-CBL/CD147 CONSERIAL NO.
09/784,950APPLICANT
Davis et al.FILING DATE
February 15, 2001GROUP
Not yet assigned

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
|---------------------|--------------------|----------|--------------------|-------|----------|-------------------------------|
| | 4,364,932 | 12/21/82 | Kung et al. | 424 | 85 | |
| | 4,364,936 | 12/21/82 | Kung et al. | 424 | 85 | |
| | 4,613,459 | 09/23/86 | Cantor et al. | 530 | 351 | |
| | 4,692,405 | 09/08/87 | Freedman et al. | 435 | 7 | |
| | 4,713,352 | 12/15/87 | Bander et al. | 436 | 548 | |
| | 4,735,210 | 04/5/88 | Goldenberg | 128 | 654 | |
| | 4,816,397 | 03/28/89 | Boss et al. | 435 | 68 | |
| | 4,816,561 | 03/28/89 | Todaro et al. | 530 | 324 | |
| | 4,818,689 | 04/04/89 | Suciu-Foca et al. | 435 | 7 | |
| | 4,832,940 | 05/23/89 | Ege | 424 | 1.1 | |
| | 5,017,691 | 05/21/91 | Lee et al. | 535 | 351 | |
| | 5,045,451 | 09/03/91 | Uhr et al. | 435 | 7.23 | |
| | 5,101,827 | 04/07/92 | Goldenberg | 128 | 653.4 | |
| | 5,102,990 | 04/07/92 | Rhodes | 530 | 391.5 | |
| | 5,151,510 | 09/29/92 | Stec et al. | 536 | 27 | |
| | 5,194,594 | 03/16/93 | Khawli et al. | 530 | 391.5 | |
| | 5,330,896 | 07/19/94 | Billing et al. | 435 | 7.23 | |
| | 5,545,806 | 08/13/96 | Lonberg et al. | 800 | 2 | |
| | 5,545,807 | 08/13/96 | Surani et al. | 800 | 2 | |
| | 5,569,825 | 10/29/96 | Lonberg et al. | 800 | 2 | |
| | 5,591,669 | 01/07/97 | Krimpenfort et al. | 800 | 2 | |
| | 5,612,205 | 03/18/97 | Kay et al. | 435 | 172.3 | |
| | 5,625,126 | 04/29/97 | Lonberg et al. | 800 | 2 | |
| | 5,633,425 | 05/27/97 | Lonberg et al. | 435 | 7.23 | |
| | 5,643,740 | 07/01/97 | Billing et al. | 435 | 7.23 | |
| | 5,643,763 | 07/01/97 | Dunn et al. | 435 | 91.1 | |
| | 5,648,471 | 07/15/97 | Buttram et al. | 424 | 1.49 | |
| | 5,661,016 | 08/26/97 | Lonberg et al. | 435 | 172.3 | |
| | 5,697,902 | 12/16/97 | Goldenberg | 604 | 49 | |
| | 5,703,057 | 12/30/97 | Johnston et al. | 514 | 44 | |

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

| | | | |
|--|--|---------------------------------------|---------------------------|
| FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO. ABX-CBL/CD147 CON | SERIAL NO. 09/784,950 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | APPLICANT Davis et al. | |
| | | FILING DATE February 15, 2001 | GROUP Not yet assigned |

U.S. PATENT DOCUMENTS (Continued)

| | | | | | |
|-----------|----------|-----------------|-----|------|--|
| 5,777,074 | 07/07/98 | Cotropia et al. | 530 | 32.8 | |
|-----------|----------|-----------------|-----|------|--|

FOREIGN PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION | |
|---------------------|--------------------|----------|---------|-------|----------|-------------|----|
| | | | | | | YES | NO |
| | WO 91/08232 | 06/13/91 | PCT | C07K | 15/06 | | |
| | WO 92/03918 | 03/19/92 | PCT | A01H | 1/00 | | |
| | WO 92/22645 | 12/23/92 | PCT | C12N | 15/00 | | |
| | WO 93/12227 | 06/24/93 | PCT | C12N | 15/00 | | |
| | WO 94/02602 | 02/03/94 | PCT | C12N | 15/00 | | |
| | WO 94/25585 | 11/10/94 | PCT | C12N | 15/00 | | |
| | WO 96/33735 | 10/31/96 | PCT | A61K | 39/00 | | |
| | WO 96/34096 | 10/31/96 | PCT | C12N | 15/00 | | |
| | WO 97/13852 | 04/17/97 | PCT | C12N | 15/00 | | |
| | WO 97/38137 | 10/16/97 | PCT | C12Q | 1/68 | | |
| | WO 98/16654* | 10/23/98 | PCT | C12P | 21/00 | | |
| | EP 117 705 | 09/05/84 | EPO | A61K | 39/395 | | |
| | EP 0 463 151 B1 | 01/02/92 | EPO | C12N | 15/00 | | |

OTHER DOCUMENTS (Including Author, Titled, Date, Pertinent Pages, Etc.)

| EXAMINER INITIAL | |
|---------------------|--|
| | Albrecht et al., "Correlation of blood-brain barrier function and HT7 protein distribution in chick brain circumventricular organs," <i>Brain Res.</i> , 535, pp.49-61 (1990) |
| | Altruda et al., "Cloning of cDNA for a novel mouse membrane glycoprotein (gp42): shared identity to histocompatibility antigens, immunoglobulins and neural-cell adhesion molecules," <i>Gene</i> , 85, pp. 445-451 (1989) |
| | Bartles et al., "Endogenous and Exogenous Domain Markers of the Rat Hepatocyte Plasma Membrane," <i>J. Cell Biol.</i> , 100, pp. 1126-1138 (1985) |
| | Bartles et al., "Biochemical Characterization of Domain-specific Glycoproteins of the Rat Hepatocyte Plasma Membrane," <i>J. Biol. Chem.</i> , 260, pp. 12792-12802 (1985) |
| | Benaim E. et al., "Activity of monoclonal antibody CBL1 in corticosteroid resistant acute graft versus host disease," <i>Blood</i> , vol. 84, no. 10, supp. 1, p. 540A (1994) |

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

| | | |
|---|---------------------------------------|---------------------------|
| FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT | ATTY. DOCKET NO. ABX-CBL/CD147 CON | SERIAL NO. 09/784,950 |
| | APPLICANT Davis et al. | |
| | FILING DATE February 15, 2001 | GROUP Not yet assigned |

OTHER DOCUMENTS (Including Author, Titled, Date, Pertinent Pages, Etc.)

| EXAMINER INITIAL | |
|---------------------|---|
| | Berditchevski et al., "NAG-2, a novel transmembrane-4 superfamily (TM4SF) protein that complexes with integrins and other TM4SF proteins," <i>J. Biol. Chem.</i> , 272, pp. 29174-29180 (1997) |
| | Billing R. et al., "Heteroantisera Against a Blast Cell Antigen," <i>Clin. Immunol. Immunopathol.</i> , 13, pp. 435-455 (1979) |
| | Billing R. et al., "Monoclonal and Heteroantibody Reacting With Different Antigens Common to Human Blast Cells and Monocytes," <i>Hybridoma</i> , 1, pp. 303-311 (1982) |
| | Billing R. et al., "Acute Lymphocytic Leukemia-Associated Cell Membrane Antigen," <i>J. Natl. Cancer Inst.</i> , 61, pp. 423-429 (1978) |
| | Billing R. and S. Chatterjee, "Prolongation of Skin Allograft Survival in Monkeys Treated with Anti-Ia and Anti-Blast/Monocyte Monoclonal Antibodies," <i>Transplantation Proc.</i> , 15, pp. 649-650 (1983) |
| | Billing et al., in <i>Monoclonal Antibodies: Diagnostic and Therapeutic Use in Tumor and Transplantation</i> , Chs. 2 and 9, pp. 11-19 and pp. 85-90 (Chatterjee ed., PSG Publ. Co., Inc. (1985)) |
| | Biswas et al., "The Human Tumor Cell-Derived Collagenase Stimulatory Factor (renamed EMMPRIN) is a Member of the Immunoglobulin Super Family," <i>Cancer Res.</i> , 55, pp. 434-439 (1995) |
| | Biswas C., "Tumor Cell Stimulation of Collagenase Production by Fibroblasts," <i>Biochem. Biophys. Res. Comm.</i> , 109, pp. 1026-1034 (December 15, 1982) |
| | Blake and Litzi-Davis, "Evaluation of Peptide Libraries: an Iterative Strategy to Analyze the Reactivity of Peptide Mixtures with Antibodies," <i>BioConjugate Chem.</i> , Vol. 3, pp. 510-513 (1992) |
| | Bowie et al., "A Method to Identify Protein Sequences That Fold into a Known Three-dimensional Structure," <i>Science</i> , Vol. 253, p. 164 (1991) |
| | Breard et al., "A Monoclonal Antibody Reactive with Human Peripheral Blood Monocytes," <i>J. Immunol.</i> , Vol. 124, No. 4, pp. 1943-1948 (1980) |
| | Cassella et al., "Ontogeny of four blood-brain barrier markers: an immunocytochemical comparison of pial and cerebral cortical microvessels," <i>J. Anat.</i> , 189, pp. 407-415 (1996) |
| | Cesario MM and Bartles JR, "Compartmentalization, processing and redistribution of the plasma membrane protein CE9 on rodent spermatozoa. Relationship of the annulus to domain boundaries in the plasma membrane of the tail," <i>J. Cell Sci.</i> , 107, pp. 561-570 (1994) |

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

| | | |
|---|---------------------------------------|---------------------------|
| FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT | ATTY. DOCKET NO. ABX-CBL/CD147 CON | SERIAL NO. 09/784,950 |
| | APPLICANT Davis et al. | |
| | FILING DATE February 15, 2001 | GROUP Not yet assigned |

OTHER DOCUMENTS (Including Author, Titled, Date, Pertinent Pages, Etc.)

| EXAMINER INITIAL | |
|---------------------|--|
| | Cesario et al., "Biogenesis of the posterior-tail plasma membrane domain of the mammalian spermatozoon: targeting and lateral redistribution of the posterior-tail domain-specific transmembrane protein CE9 during spermiogenesis," <i>Dev. Biol.</i> , 169, pp. 473-486 (1995) |
| | Chatterjee S. et al., "Treatment With Anti-Ia an Anti-blast/Monocyte Monoclonal Antibodies Can Prolong Skin Allograft Survival in Nonhuman Primates," <i>Hybridoma</i> , 1, pp. 369-377 (1982) |
| | Chen et al., "Intracellular Antibodies as a New Class of Therapeutic Molecules for Gene Therapy," <i>Human Gene Therapy</i> , Vol. 5, pp. 595-601 (1994) |
| | Cheng et al., "Organization of the mouse GP42/Basigin gene: a member of the Ig superfamily," <i>Biochim. Biophys. Acta</i> , 1217, pp.307-311 (1994) |
| | Chiswell and McCafferty, "Phage Antibodies: Will New 'Coliclonal' Antibodies Replace Monoclonal Antibodies?," <i>TIBTECH</i> , Vol. 10, pp. 80-84 (1992) |
| | Cosimi et al., "Use of Monoclonal Antibodies to T-Cell Subsets For Immunologic Monitoring and Treatment in Recipients of Renal Allografts," <i>New Engl. J. Med.</i> , 305, pp. 308-314 (1981) |
| | Cwirla et al., "Peptides on Phage: a Vast Library of Peptides for Identifying Ligands," <i>PNAS USA</i> , Vol. 87, pp. 6378-6382 (1990) |
| | Davies A. and Lachmann P.J., "Membrane defense against complement lysis: the structure and biological properties of CD59," <i>Immunol. Res.</i> , Vol. 12, p. 258 (1993) |
| | Dayhoff, M.O., in <i>Atlas of Protein Sequence and Structure</i> , pp. 101-110 (Volume 5) and Supplement 2, pp. 1-10, (National Biomedical Research Foundation (1972)) |
| | DeCastro et al., "Human keratinocytes express EMMPRIN, an extracellular matrix metalloproteinase inducer," <i>J. Invest. Dermatol.</i> , 106, pp.1260-1265 (1996) |
| | Deeg et al., "Combined Immunosuppression with Cyclosporine and Methotrexate in Dogs Given Bone Marrow Grafts from D1a-haploidentical Littermates," <i>Transplantation</i> , Vol. 37, pp. 62-65 (1984) |
| | Derwent Database WPI, "Human basigin I gene - Useful for the Diagnosis and Treatment of Cancers, Immune Abnormalities and Inflammatory Diseases," AN 94-298798 (1991) & JP 06 225763A (1994) |
| | Dillman R.O. et al., "Applications of monoclonal antibodies in cancer therapy," <i>Brit. Med. Bulletin</i> , 40, pp. 240-246 (1984) |
| | Evans et al., "Antianaphylactic Benzophenones and Related Compounds," <i>J. Med. Chem.</i> , Vol. 30, p. 1229 (1987) |

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

| | | | |
|---------------|--|---------------------------------------|---------------------------|
| FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO. ABX-CBL/CD147 CON | SERIAL NO. 09/784,950 |
| | | APPLICANT Davis et al. | |
| | | FILING DATE February 15, 2001 | GROUP Not yet assigned |

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

OTHER DOCUMENTS (Including Author, Titled, Date, Pertinent Pages, Etc.)

| EXAMINER INITIAL | |
|---------------------|---|
| | Fadool JM and Linser PJ, "Evidence for the formation of multimeric forms of the 5A11/HT7 antigen," <i>Biochem. Biophys. Res. Commun.</i> , 229, pp. 280-286 (1996) |
| | Fadool JM and Linser PJ, "5A11 antigen is a cell recognition molecule which is involved in neuronal-glial interactions in avian neural retina," <i>Dev. Dyn.</i> , 196, pp.252-262 (1993) |
| | Fadool JM and Linser PJ, "Differential Glycosylation of the 5A11/HT7 Antigen By Neural Retina and Epithelial Tissues in the Chicken," <i>J. Neurochemistry</i> , 60, pp. 1354-1364 (1993) |
| | Fadool J.M. et al., "Biochemical Characterization of a Novel Glycoprotein That Is a Retinal and Epithelial Adhesion Molecule," <i>J. Cell Biol.</i> , 115, pp. 69a (1991) |
| | Fanger et al., "Production and Use of Anti-fcr Bispecific Antibodies," <i>Immunol. Methods</i> , Vol. 4, pp. 72-81 (1994) |
| | Fauchere et al., "Association with Hela Cells of Campylobacter Jejuni and Campylobacter Coli Isolated from Human Feces," <i>J. Adv. Drug Res.</i> , Vol. 15, p. 29 (1986) |
| | Felici et al., "Selection of Antibody Ligands from a Large Library of Oligopeptides Expressed on a Multivalent Exposition Vector," <i>J. Mol. Biol.</i> , Vol. 222, pp. 301-310 (1991) |
| | Felzmann et al., "Analysis of function-associated receptor molecules on peripheral blood and synovial fluid granulocytes from patients with rheumatoid and reactive arthritis," <i>J. Clin. Immunol.</i> , 11, pp. 205-212 (1991) |
| | Ferrara JL and Deeg HJ, "Graft versus Host Disease," <i>NEJM</i> , Vol. 324, p. 667 (1991) |
| | Finnemann et al., "Identification of the retinal pigment epithelium protein RET-PE2 as CE-9/OX-47, a member of the immunoglobulin superfamily," <i>Invest. Ophthalmol. Vis. Sci.</i> , 38, pp. 2366-2374 (1997) |
| | Foley et al., "Continuous Culture of Human Lymphoblasts From Peripheral Blood of a Child with Acute Leukemia," <i>Cancer</i> , 18, pp.522-529 (1965) |
| | Fossum et al., "The MRC OX-47 antigen is a member of the immunoglobulin superfamily with an unusual transmembrane sequence," <i>Eur. J. Immunol.</i> , 21, pp. 671-679 (1991) |
| | Gadd et al., "Phenotypic Analysis of Functionally Associated Molecules on Peripheral blood and Synovial Fluid Monocytes from Arthritis Patients," <i>Rheumatol. Int.</i> , 12, pp. 153-157 (1992) |
| | Gay et al., "Receptor Editing: An Approach by Autoreactive B Cells to Escape Tolerance," <i>J. Exp. Med.</i> , Vol. 177, pp. 999-1008 (1993) |

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

| | | | |
|--|--|---------------------------------------|---------------------------|
| FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO. ABX-CBL/CD147 CON | SERIAL NO. 09/784,950 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | APPLICANT Davis et al. | |
| | | FILING DATE February 15, 2001 | GROUP Not yet assigned |

OTHER DOCUMENTS (Including Author, Titled, Date, Pertinent Pages, Etc.)

| EXAMINER INITIAL | |
|---------------------|---|
| | Gazzano-Santoro et al. "A Non-radioactive Complement-dependent Cytotoxicity Assay for Anti-cd20 Monoclonal Antibody," <i>J. Immunol. Methods</i> , Vol. 202, pp. 163-171 (1997) |
| | Ghannadan et al. "Phenotypic Characterization of Human Skin Mast Cells by Combined Staining with Toluidine Blue and Cd Antibodies," <i>J. Invest. Dermatol.</i> , Vol. 111, pp. 689-95 (1998)* |
| | Green et al., "Antigen-specific Human Monoclonal Antibodies from Mice Engineered with Human Ig Heavy and Light Chain YACs," <i>Nature Genetics</i> , Vol. 7, pp. 13-21 (1994) |
| | Guo et al., "Stimulation of matrix metalloproteinase production by recombinant extracellular matrix metalloproteinase inducer from transfected Chinese hamster ovary cells.," <i>J. Biol. Chem.</i> , 272, pp. 24-27 (1997) |
| | Guo et al., "Characterization of the Gene for Human EMMPRIN, a Tumor Cell Surface Inducer of Matrix Metalloproteinases," <i>Gene</i> , Vol. 220, pp. 99-108 (1998)* |
| | Hanes and Pluchau, "In Vitro Selection and Evolution of Functional Proteins by Using Ribosome Display," <i>PNAS USA</i> , Vol. 94, pp. 4937-4942 (1997) |
| | Harris et al., "Exploring the Basis of Peptide-Carbohydrate Crossreactivity: Evidence for Discrimination by Peptides Between Closely Related Anti-Carbohydrate Antibodies," <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 94, pp. 2454-2459 (1977) |
| | Haynes B.F. et al., "Characterization of A Monoclonal Antibody (5E9) That Defines a Human Cell Surface Antigen of Cell Activation," <i>J. Immunol.</i> , 127, pp. 347-351 (1981) |
| | Haynes B.F. et al., "Characterization of Monoclonal Antibody (4F2) that Binds to Human Monocytes and to a Subset of Activated Lymphocytes," <i>J. Immunol.</i> , 126, pp. 1409-1414 (1981) |
| | Heslop et al., "Response of steroid-resistant graft-versus-host disease to lymphoblast antibody CBL1," <i>The Lancet</i> , 346, pp. 805-806 (1996) |
| | Hoganboom et al., <i>Immunol. Reviews</i> , Vol. 130, pp. 43-68 (1992) |
| | Houghten et al., "The Use of Synthetic Peptide Combinatorial Libraries for the Identification of Bioactive Peptides," <i>Biotechniques</i> , Vol. 13, pp. 412-421 (1992) |
| | Houghten RA, "General Method for the Rapid Solid-phase Synthesis of Large Numbers of Peptides: Specificity of Antigen-antibody Interaction at the Level of Individual Amino Acids," <i>PNAS USA</i> , Vol. 82, pp. 5131-5135 (1985) |

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

| | | | |
|---------------|--|---------------------------------------|---------------------------|
| FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO. ABX-CBL/CD147 CON | SERIAL NO. 09/784,950 |
| | | APPLICANT Davis et al. | |
| | | FILING DATE February 15, 2001 | GROUP Not yet assigned |

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

OTHER DOCUMENTS (Including Author, Titled, Date, Pertinent Pages, Etc.)

| EXAMINER INITIAL | |
|---------------------|---|
| | Hubbard et al., "Identification of Rat Hepatocyte Plasma Membrane Proteins Using Monoclonal Antibodies," <i>J. Cell Biol.</i> , 100, pp. 1115-1125 (1985) |
| | Igakura et al., "Roles of basigin, a member of the immunoglobulin superfamily, in behavior as to an irritating odor, lymphocyte response, and blood-brain barrier," <i>Biochem. Biophys. Res. Commun.</i> , 224, pp. 33-36 (1996) |
| | Ikeda et al., "Developing brain cells produce factors capable of inducing the HT7 antigen, a blood-brain barrier-specific molecule, in chick endothelial cells," <i>Neurosci. Lett.</i> , 209, pp. 149-152 (1996) |
| | Imboden et al., "Identification and characterization of a cell-surface molecule that is selectively induced on rat lymphokine-activated killer cells," <i>J. Immunol.</i> , 143, pp. 3100-3103 (1989) |
| | Janzer et al., "Astrocytes secrete a factor inducing the expression of HT7-protein and neurothelin in endothelial cells of chorioallantoic vessels," <i>Adv. Exp. Med. Biol.</i> 331, pp. 217-221 (1993) |
| | Joseph et al., "Regulation of the expression of intercellular adhesion molecule-1 (ICAM-1) and the putative adhesion molecule Basigin on murine cerebral endothelial cells by MHV-4 (JHM)," <i>Adv. Exp. Med. Biol.</i> , 342, pp. 389-391 (1993) |
| | Kaname et al., "Mapping basigin (BSG), a member of the immunoglobulin superfamily, to 19p13.3," <i>Cytogenet. Cell. Genet.</i> , 64, pp.195-197 (1993) |
| | Kanekura et al., "Basigin, a new member of the immunoglobulin superfamily: genes in different mammalian species, glycosylation changes in the molecule from adult organs and possible variation in the N-terminal sequences," <i>Cell Struct. Funct.</i> , 16, pp. 23-30 (1991) |
| | Kaneoka H. et al., "Human T. Lymphocyte Proliferation Induced By A Pan-T Monoclonal Antibody (Anti-Leu 4): Heterogeneity of Response Is A Function of Monocytes," <i>J. Immunol.</i> , 131, pp. 158-164 (1983) |
| | Kasinrerk et al., "Human leukocyte activation antigen M6, a member of the Ig superfamily, is the species homologue of rat OX-47, mouse basigin, and chicken HT7 molecule," <i>J. Immunol.</i> , 149(3), pp. 847-854 (1992) |
| | Kimball, <i>Introduction to Immunology</i> (MacMillan 1983), pp. 475-7 |
| | Kinoshita et al., "Distribution of Decay-accelerating Factor in the Peripheral Blood of Normal Individuals and Patients with Paroxysmal Nocturnal Hemoglobinuria," <i>J. Exp. Med.</i> , 162, p. 75 (1985) |
| | Kinukawa T. and Terasaki P.I., <i>Transplantation Proc.</i> , 1, pp.993-998 (1985) |

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

| | | | |
|---|--|---------------------------------------|---------------------------|
| FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO. ABX-CBL/CD147 CON | SERIAL NO. 09/784,950 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | APPLICANT Davis et al. | |
| | | FILING DATE February 15, 2001 | GROUP Not yet assigned |
| OTHER DOCUMENTS (Including Author, Titled, Date, Pertinent Pages, Etc.) | | | |
| EXAMINER INITIAL | | | |
| | Kirsch et al., "The pattern of expression of CD147/neurothelin during human T-cell ontogeny as defined by the monoclonal antibody 8D6," <i>Tissue Antigens</i> , 50, pp.147-152 (1997) | | |
| | Kupper T. et al., "Autocrine Growth of T Cells Independent of Interleukin 2: Identification of Interleukin 4 (IL4, BSF-1) as an Autocrine Growth Factor for a Cloned Antigen-specific Helper T Cell," <i>Chem. Abst.</i> , 107(13), p. 114014r (1987) | | |
| | Kuwabara et al., "Efficient Epitope Mapping by Bacteriophage Lambda Surface Display," <i>Nature Biotechnology</i> , Vol. 15, pp. 74-78 (1997) | | |
| | Laplanche et al., "Phosphorothioate-modified Oligodeoxyribonucleotides. Iii. Nmr and Uv Spectroscopic Studies of the Rp-rp, Sp-sp, and Rp-sp Duplexes, [D(ggsaattcc)] ₂ , Derived from Diastereomeric O-ethyl Phosphorothioates," <i>Nucl. Acids Res.</i> , Vol. 14, p. 9081 (1986) | | |
| | Lawson D.H. et al., "Preparation of a Monoclonal Antibody to a Melanoma Growth-Stimulatory Activity Released Into Serum-Free Culture Medium by Hs0294 Malignant Melanoma Cells," <i>J. Cell. Biochem.</i> , 34, pp. 169-185 (1987) | | |
| | <i>Lecocyte Typing VI</i> (Kishimoto et al. Eds., Garland Publishing Inc., New York, 1997) (particularly Stockinger et al., pp. 760-763 and Majdic et al. pp. 765-766) | | |
| | Levy R. and Dilley J., "The <i>In Vitro</i> Antibody Response To Cell Surface Antigens: Monoclonal Antibodies to Human leukemia Cells," <i>J. Immunol.</i> , 119, pp. 394-400 (1977) | | |
| | Liebner et al., "Maturation of the Blood-Retina Barrier in the Developing Pecten Oculi of the Chicken," <i>Developmental Brain Research</i> , Vol. 100, pp. 205-219 (1997) | | |
| | Lim et al. "Tumor-derived Emmprin (Extracellular Matrix Metalloproteinase Inducer) Stimulates Collagenase Transcription Through Mapk P38," <i>Febs. Lett.</i> , Vol. 441, pp. 88-92 (1998)* | | |
| | Liszewski et al., "Membrane Cofactor Protein (Mcp or Cd46): Newest Member of the Regulators of Complement Activation Gene Cluster," <i>Annu. Rev. Immunol.</i> , Vol. 9, pp. 431-455 (1991) | | |
| | Liu D.Y. and Todd R.F., "A Monoclonal Antibody Specific For a Monocyte-Macrophage Membrane Component Blocks the Human Monocyte Response To Migration Inhibitory Factor," <i>J. Immunol.</i> , 137, pp. 448-455 (1986) | | |
| | Lobrinus et al., "Induction of the blood-brain barrier specific HT7 and neurothelin epitopes in endothelial cells of the chick chorioallantoic vessels by a soluble factor derived from astrocytes," <i>Dev. Brain Res.</i> , 70, pp.207-211 (1992) | | |

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

| | | | |
|---------------|--|---------------------------------------|---------------------------|
| FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO. ABX-CBL/CD147 CON | SERIAL NO. 09/784,950 |
| | | APPLICANT Davis et al. | |
| | | FILING DATE February 15, 2001 | GROUP Not yet assigned |

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

OTHER DOCUMENTS (Including Author, Titled, Date, Pertinent Pages, Etc.)

| EXAMINER INITIAL | |
|---------------------|--|
| | Lonberg et al., "Antigen Specific Human Antibodies From Mice Comprising Four Distinct Genetic Modifications," <i>Nature</i> , 368, pp. 856-9 (1994) |
| | Loveland et al., "Coordinate Functions of Multiple Complement Regulating Molecules, Cd46, Cd55 and Cd59," <i>Transpl. Proc.</i> , 26, p. 1070 (1994) |
| | Marasco, "Intrabodies: Turning the Humoral Immune System Outside in for Intracellular Immunization," <i>Gene Therapy</i> , Vol. 4, pp. 11-15 (1997) |
| | Marmorstein et al., "Apical Polarity of N-cam and EMMPRIN in Retinal Pigment Epithelium Resulting from Suppression of Basolateral Signal Recognition" <i>J. Cell. Biol.</i> , Vol. 142, pp. 697-710 (1998)* |
| | Marmorstein et al., "Morphogenesis of the Retinal Pigment Epithelium: Toward Understanding Retinal Degenerative Diseases" <i>Ann. N. Y. Acad. Sci.</i> , Vol. 857, pp. 1-12 (1998)* |
| | Marx J.L., "Monoclonal Antibodies in Cancer," <i>Science</i> , 216, pp. 283-285 (1982) |
| | Mattes et al., "Monoclonal Antibodies to Three Widely Distributed Human Cell Surface Antigens," <i>Hybridoma</i> , Vol. 2, No. 3, pp. 253- 264 (1983) |
| | Mendez et al., "Functional transplant of megabase human immunoglobulin loci recapitulates human antibody response in mice," <i>Nature Genetics</i> , 15, pp. 146-156 (1997) |
| | Miyauchi et al., "The basigin group of the immunoglobulin superfamily: complete conservation of a segment in and around transmembrane domains of human and mouse basigin and chicken HT7 antigen," <i>J. Biochem. (Tokyo)</i> , 110, pp. 770-774 (1991) |
| | Miyauchi et al., "Basigin, a new, broadly distributed member of the immunoglobulin superfamily, has strong homology with both the immunoglobulin V domain and the beta-chain of major histocompatibility complex class II antigen," <i>J. Biochem. (Tokyo)</i> , 107, pp. 316-323 (1990) |
| | Miyauchi et al., "Structure of the mouse basigin gene, a unique member of the immunoglobulin superfamily," <i>J. Biochem. (Tokyo)</i> , 118, pp. 717-724 (1995) |
| | Mizukami et al., "Purification, biochemical composition, and biosynthesis of the Mo3 activation antigen expressed on the plasma membrane of human mononuclear phagocytes," <i>J. Immunol.</i> , 147, pp. 1331-1337 (1991) |
| | Mizukami et al., "A Structural Characterization of the Mo3 Activation Antigen Expressed On the Plasma Membrane of Human Mononuclear Phagocytes," <i>J. Immunol.</i> , 144, pp. 1841- 1848 (1990) |

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

| | | | |
|---------------|--|---------------------------------------|---------------------------|
| FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO. ABX-CBL/CD147 CON | SERIAL NO. 09/784,950 |
| | | APPLICANT Davis et al. | |
| | | FILING DATE February 15, 2001 | GROUP Not yet assigned |

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

OTHER DOCUMENTS (Including Author, Titled, Date, Pertinent Pages, Etc.)

| EXAMINER INITIAL | |
|---------------------|---|
| | Morel P.A. and Hamilton H.B., "Ok ^a : An Erythrocytic Antigen of High Frequency," <i>Vox Sanguinis</i> , Vol. 36, pp. 183-185 (1979) |
| | Mutin et al. "Immunologic Phenotype of Cultured Endothelial Cells: Quantitative Analysis of Cell Surface Molecules" <i>Tissue Antigens</i> , Vol. 50, pp. 449-58 (1997) |
| | Naruhashi et al., "Abnormalities of sensory and memory functions in mice lacking Bsg gene," <i>Biochem. Biophys. Res. Commun.</i> , 236, pp.733-737 (1997) |
| | Needleman & Wunsch, "A General Method Applicable to the Search for Similarities in the Amino Acid Sequence of Two Proteins," <i>J. Mol. Biol.</i> , 48, pp. 443-53 (1970) |
| | Nehme et al., "Breaching the diffusion barrier that compartmentalizes the transmembrane glycoprotein CE9 to the posterior-tail plasma membrane domain of the rat spermatozoon," <i>J. Cell Biol.</i> , 120, pp. 687-694 (1993) |
| | Nehme et al., "Distribution of the integral plasma membrane glycoprotein CE9 (MRC OX-47) among rat tissues and its induction by diverse stimuli of metabolic activation," <i>Biochem. J.</i> , 310, pp. 693-698 (1995) |
| | Oei et al., "Treatment of Kidney Graft Rejection with CHAL1 and CBL1 Monoclonal Antibodies," <i>Transplantation Proceed.</i> , Vol. 17, no. 6, p. 2740 (1985) |
| | Omary et al., "Human Cell-Surface Glycoprotein with Unusual Properties," <i>Nature</i> , 286, pp. 888-891 (1980) |
| | Parmley and Smith, "Antibody-selectable Filamentous Fd Phage Vectors: Affinity Purification of Target Genes," <i>Gene</i> , Vol. 73, pp. 305-318 (1988) |
| | Paterson et al., "Antigens of activated rat T lymphocytes including a molecule of 50,000 Mr detected only on CD4 positive T blasts," <i>Mol. Immunol.</i> , 24, pp. 1281-1290 (1987) |
| | Pearson and Lipman, "Improved Tools for Biological Sequence Comparison," <i>PNAS (USA)</i> , Vol. 85, pp. 2444 (1988) |
| | Petruszak et al., "Endoproteolytic cleavage in the extracellular domain of the integral plasma membrane protein CE9 precedes its redistribution from the posterior to the anterior tail of the rat spermatozoon during epididymal maturation," <i>J. Cell Biol.</i> , 114, pp. 917-927 (1991) |
| | Pinalla et al., "Rapid Identification of High Affinity Peptide Ligands Using Positional Scanning Synthetic Peptide Combinatorial Libraries," <i>Biotechniques</i> , Vol. 13, pp. 901-905 (1992) |

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

| | | |
|---|---------------------------------------|---------------------------|
| FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT | ATTY. DOCKET NO. ABX-CBL/CD147 CON | SERIAL NO. 09/784,950 |
| | APPLICANT Davis et al. | |
| | FILING DATE February 15, 2001 | GROUP Not yet assigned |

OTHER DOCUMENTS (Including Author, Titled, Date, Pertinent Pages, Etc.)

| EXAMINER INITIAL | |
|---------------------|--|
| | Polette et al. "Tumor Collagenase Stimulatory Factor (Tcsf) Expression and Localization in Human Lung and Breast Cancers," <i>J. Histochem. Cytochem.</i> , Vol. 45, pp. 703-709 (1997) |
| | Powell et al. "Compendium of Excipients for Parenteral Formulations" <i>Pda. J. Pharm. Sci. Technol.</i> , Vol. 52, pp. 238-311 (1998) |
| | Raff et al., "Pharmacologic, Toxicologic, and Marrow Transplantation Studies in Dogs Given Succinyl Acetone," <i>Transplantation</i> , Vol. 54, pp. 813-820 (1992) |
| | Reinherz E.L. et al., "Discrete Stages of Human Intrathymic Differentiation: Analysis of Normal Thymocytes and Leukemic Lymphoblasts of T-cell Lineage," <i>PNAS USA</i> , 77, pp. 1588-1592 (1980) |
| | <i>Remington's Pharmaceutical Sciences</i> (15 th Ed, Mack Publishing Company, Easton, Pa (1975)), Chapter 87 by Blaug |
| | Rimsky L. et al., "Purification to Homogeneity and NH ₂ -Terminal Amino Acid Sequence of a Novel Interleukin 1 Species Derived from a Human B Cell Line," <i>J. Immunol.</i> , 136, pp. 3304-3310 (1986) |
| | Risau W. et al., "Brain Induces the Expression of An Early Cell Surface Marker For Blood-Brain Barrier-Specific Endothelium," <i>EMBO J.</i> , 5, pp. 3179-3183 (1986) |
| | Rizo and Gierasch, "Constrained Peptides: Models of Bioactive Peptides and Protein Substructures," <i>Ann. Rev. Biochem.</i> , Vol. 61, p. 387 (1992) |
| | Rizzolo LJ & Zhou SJ, "The distribution of Na ⁺ ,K ⁺ -ATPase and 5A11 antigen in apical microvilli of the retinal pigment epithelium is unrelated to alpha-spectrin," <i>Cell Sci.</i> , 108, pp. 3623-3633 (1995) |
| | Russel et al., "Retroviral Vectors Displaying Functional Antibody Fractions," <i>Nucl. Acids Research</i> , Vol. 21, pp. 1081-1085 (1993) |
| | Schlom, <i>Molecular and Cellular Research for Future Diagnosis and Therapy</i> , pp. 95-134 (S. Broder ed., Williams and Wilkins 1990) |
| | Schlosshauer, "The blood-brain barrier: morphology, molecules, and neurothelin," <i>BioEssays</i> , 15, pp. 341-346 (1993) |
| | Schlosshauer, "Neurothelin: molecular characteristics and developmental regulation in the chick CNS," <i>Development</i> , 113, pp. 129-140 (1991) |
| | Schlosshauer et al., "Neurothelin: amino acid sequence, cell surface dynamics and actin colocalization," <i>Eur. J. Cell Biol.</i> , 68, pp. 159-166 (1995) |

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

| | | | |
|--|--|---------------------------------------|---------------------------|
| FORM PTO-1449 | U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE | ATTY. DOCKET NO. ABX-CBL/CD147 CON | SERIAL NO. 09/784,950 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | APPLICANT Davis et al. | |
| | | FILING DATE February 15, 2001 | GROUP Not yet assigned |

OTHER DOCUMENTS (Including Author, Titled, Date, Pertinent Pages, Etc.)

| EXAMINER INITIAL | |
|---------------------|---|
| | Schlosshauer B & Herzog KH, "Neurothelin: an inducible cell surface glycoprotein of blood-brain barrier-specific endothelial cells and distinct neurons," <i>J. Cell Biol.</i> , 110, pp. 1261-1274 (1990) |
| | Schuster et al., "Cloning of the rabbit homologue of mouse 'basigin' and rat 'OX-47': kidney cell type-specific expression, and regulation in collecting duct cells," <i>Biochim. Biophys. Acta</i> 1311, pp. 13-19 (1996) |
| | Scott LJ & Hubbard AL, "Dynamics of four rat liver plasma membrane proteins and polymeric IgA receptor. Rates of synthesis and selective loss into the bile," <i>J. Biol. Chem.</i> , 267, pp. 6099-6106 (1992) |
| | Scott, J.K., "Discovering Peptide Ligands Using Epitope Libraries," <i>Techniques</i> , 17, pp. 241-245 (1992) |
| | Scott J.K. and Smith G.P., "Searching for Peptide Ligands with an Epitope Library," <i>Science</i> , Vol. 249, pp. 386-390 (1990) |
| | Seulberger et al., "HT7, Neurothelin, Basigin, gp42 and OX-47--many names for one developmentally regulated immuno-globulin-like surface glycoprotein on blood-brain barrier endothelium, epithelial tissue barriers and neurons," <i>Neurosci. Lett.</i> , 140 pp. 93-97 (1992) |
| | Seulberger et al., "The inducible blood--brain barrier specific molecule HT7 is a novel immunoglobulin-like cell surface glycoprotein," <i>EMBO J.</i> , 9, pp. 2151-2158 (1990) |
| | Smith and Waterman, "Comparison of Biosequences," <i>Adv. Appl. Math.</i> , Vol. 2, p. 482 (1981) |
| | Spring et al., "The Oka blood group antigen is a marker for the M6 leukocyte activation antigen, the human homolog of OX-47 antigen, basigin and neurothelin, an immunoglobulin superfamily molecule that is widely expressed in human cells and tissues," <i>Eur. J. Immunol.</i> , 27, pp. 891-897 (1997) |
| | Sudou et al., "Lewis X structure increases cell substratum adhesion in L cells" <i>J. Biochem. (Tokyo)</i> , 117, pp. 271-275 (1995) |
| | Stec et al., <i>J. Am. Chem. Soc.</i> , Vol. 106, p. 6077 (1984) |
| | Storb et al., "Long-term Follow-up of Allogeneic Marrow Transplants in Patients with Aplastic Anemia Conditioned by Cyclophosphamide Combined with Antithymocyte Globulin," <i>Blood</i> , Vol. 89, pp. 3048-3054 (1997) |
| | Tachibana et al., "Generation of Monoclonal Antibodies to Integrin-associated Proteins," <i>The Journal of Biological Chemistry</i> , Vol. 272, No. 46, pp.29181-29189 (1997) |
| | Takahashi et al., "Follow-up on Initial Trials of Kidney Transplant Rejection Reversal by a Monoclonal Antibody," <i>Transplantation Proceed.</i> , Vol. 17, no. 1, p. 69 (1985) |

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

| | | |
|---|---------------------------------------|---------------------------|
| FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT | ATTY. DOCKET NO. ABX-CBL/CD147 CON | SERIAL NO. 09/784,950 |
| | APPLICANT Davis et al. | |
| | FILING DATE February 15, 2001 | GROUP Not yet assigned |

OTHER DOCUMENTS (Including Author, Titled, Date, Pertinent Pages, Etc.)

| EXAMINER INITIAL | |
|---------------------|--|
| | Takahashi et al., "Reversal of Transplant Rejection by Monoclonal Antiblast Antibody," <i>The Lancet</i> , 2, pp. 1155-1158 (1983) |
| | Taniyama T. and T. Watanabe, "Monoclonal Antibody Against Human Macrophages/Monocytes And Granulocytes," <i>Hybridoma</i> , 2, pp. 161-168 (1983) |
| | Thornton et al, "Protein Structure. Prediction of Progress at Last," <i>Nature</i> , Vol. 354, pp. 105-106 (1991) |
| | Todd R.F. III et al., "Human Mononuclear Phagocyte Activation Antigens," <i>Blood Cells</i> , 16, pp. 167-182(1990) |
| | Todd R.F. III et al., "Bacterial Lipopolysaccharide, Phorbol Myristate Acetate, and Muramyl Dipeptide Stimulate the Expression of a Human Monocyte Surface Antigen, Mo3e," <i>J. Immunol.</i> , 135, pp. 3869-3877 (1985) |
| | Trauneker et al., "Janusin: New Molecular Design for Bispecific Reagents," <i>Int. J. Cancer (Suppl.)</i> , Vol. 7, pp. 51-52 (1992) |
| | Trochelman R.D. et al., "Expression of Mo3e Antigen By Cultured Human Umbilical vein Endothelial Cells (HUVEC) Stimulated by Phorbol Myristate Acetate (PMA) and Related Pharmacological Inducers of Protein Kinase C," <i>Cell Immunol.</i> , 112, pp. 89-103(1988) |
| | Tuaillon et al., "Analysis of Direct and Inverted Djh Rearrangements in a Human Ig Heavy Chain Transgenic Minilocus," <i>J. Immunol.</i> , Vol. 154(12), pp. 6453-65 (1995) |
| | Tuaillon et al., "Human Immunoglobulin Heavy-chain Minilocus Recombination in Transgenic Mice: Gene-segment Use in Mu and Gamma Transcripts," <i>PNAS U S A</i> , Vol. 8, pp. 3720-4 (1993) |
| | Ugolini et al., "Initial Characterization of Monoclonal Antibodies Against Human Monocytes," <i>PNAS USA</i> , Vol. 77, No. 11, pp. 6764-6768 (1980) |
| | Unger et al., "Expression of the HT7 Gene in Blood-Brain Barrier," <i>Adv. Exp. Med. Biol.</i> , 331, pp. 211-215 (1993) |
| | Valerius et al., "Fcalphari (Cd89) as a Novel Trigger Molecule for Bispecific Antibody Therapy," <i>Blood</i> , Vol. 90, pp. 4485-4492 (1997) |
| | Van Den Oord et al. "Expression of Gelatinase B and the Extracellular Matrix Metalloproteinase Inducer EMMPRIN in Benign and Malignant Pigment Cell Lesions of the Skin" <i>Am. J. Pathol.</i> , Vol. 151, pp. 665-70 (1997) |

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

| | | |
|---|---------------------------------------|---------------------------|
| FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT | ATTY. DOCKET NO. ABX-CBL/CD147 CON | SERIAL NO. 09/784,950 |
| | APPLICANT Davis et al. | |
| | FILING DATE February 15, 2001 | GROUP Not yet assigned |

OTHER DOCUMENTS (Including Author, Titled, Date, Pertinent Pages, Etc.)

| EXAMINER INITIAL | |
|---------------------|---|
| | Vitetta et al., "Immunotoxins: Magic Bullets or Misguided Missiles?," <i>Immunol. Today</i> , Vol. 14, p. 252 (1993) |
| | Von Appen, Kay, "ABX-CBL," <i>Idrugs</i> , 2(1):65-68 (1999)* |
| | Wakasugi et al., "Adult T-Cell Leukemia-Derived Factor/Theoredoxin, Produced by both Human T-Lymphotropic Virus Type I- and Epstein-Barr Virus-Transformed Lymphocytes, Acts as an Autocrine Growth Factor and Synergizes with Interleukin 1 and Interleukin 2," <i>Proc. Natl. Acad. Sci. USA</i> , 87, pp. 8282-8286 (1990) |
| | Whitlow et al., "H19, a surface membrane molecule involved in T-cell activation, inhibits channel formation by human complement," <i>Cell. Immunol.</i> , 126, pp. 176 (1990) |
| | Williams et al., "Biochemical and Genetic Analysis of the Ok ^a Blood Group Antigen," <i>Immunogenetics</i> , 27, pp. 322-329 (1988) |
| | Winter and Harris, "Humanized Antibodies," <i>Immunol. Today</i> , Vol. 14, pp. 43-46 (1993) |
| | Woodhead et al., "From Sentinel to Messenger: an Extended Phenotypic Analysis of the Monocyte to Dendritic Cell Transition" <i>Immunology</i> , Vol. 94, pp. 552-559 (1998)* |
| | Wright et al., "Genetically Engineered Antibodies: Progress and Prospects," <i>Crit. Reviews in Immunol.</i> , Vol. 12, pp. 125-168 (1992) |
| | Yu et al., "Tracrolimus (FK506) and Methotrexate Regiments to Prevent Graft-versus-Host Disease After Unrelated Dog Leukocyte Antigen (DLA) Nonidentical Marrow Transplantation," <i>Bone Marrow Transplantation</i> , Vol. 17, pp. 649-653 (1996) |
| | Zon et al., <i>Oligonucleotides and Analogues: a Practical Approach</i> , pp. 87-108 (F. Eckstein, Ed., Oxford University Press, Oxford England (1991)) |
| | Zon et al., "Phosphorothioate Oligonucleotides: Chemistry, Purification, Analysis, Scale-up and Future Directions," <i>Anti-cancer Drug Design</i> , Vol. 6, p. 539 (1991) |
| | |
| | |
| | |
| | |
| | |

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.